

RELEASE NOTES

NETCELL STORAGE MANAGER AND FIRMWARE FOR THE PC

VERSION INFORMATION

Updated: February 14, 2006

Netcell Storage Manager Version: v1.7.3.1

Netcell Storage BIOS Version: v1.7.6.1

Netcell Cards Supported: SR3000, SR5000, SR3100, SR5103, SR5200, P001, P013

Supported OS: Windows XP SP 1a or later, Windows 2003, Windows 2000 SP 3 or later

NEW FEATURES AND FIXES

- Removed Transfer Block size option from advanced menu

OPEN ISSUES

1. With RAID 1 and any other array present on a single card, if a drive faults on the RAID 1 there may be unpredictable results. If the drive that fails on RAID 1 remains detectable by the system, there is now 3 arrays present on the card, which is not supported.
Workaround: Remove the drive that failed to retain original configuration. Insert a new disk and rebuild to repair your RAID 1.
2. Windows SRupdate 1501 (Windows Firmware Update Utility) does not work on Windows XP 64-bit.
Workaround: Use the DOS utility on a bootable floppy to update firmware.
3. When running Windows XP 64-bit, array must be created at BIOS level (using auto configuration or Control N menu) before Storage Manager can be used.
Workaround: None at this time.
4. Restore Atapi.sys does not execute properly on Windows XP – 64 bit
Workaround: None at this time.